



UNIVERSITY
of HAWAII®
MĀNOA

August 25, 2014

Margaret Hathaway
Pesticide Re-Evaluation Division (7508P)
Office of Pesticide Programs
Environmental Protection Agency
1200 Pennsylvania Ave., NW.
Washington, DC 20460-0001

Subject: **Docket ID Number EPA-HQ-OPP-2014-0414**

Comments in Response to *Registration Review; Pesticides Dockets*
(Terrazole/Etridiazole)

The following comments are being submitted in response to the June 25, 2014 *Federal Register* notice regarding EPA's opening of the public comment period for the registration review of terrazole (formerly etridiazole). These comments are submitted on behalf of the Western Integrated Pest Management Center and provide input on the use of terrazole on golf courses in Hawai'i.

Terrazole (etridiazole) products are used to control disease problems on **golf course turf (greens and tees)** in Hawai'i as follows:

- Diseases controlled by etridiazole.
Diseases controlled include Pythium blight, cottony blight, grease spot, spot blight, root rot and crown rot.
- Application rates.
Typically, terrazole products are applied within this range of rates (up to the maximum allowed on the products labels):
0.0375 lb ai/1,000 sq ft (1.63 lbs ai/A) – 0.0938 lb ai/1,000 sq ft (4.09 lbs ai/A)
- Application timing.
Application is made at the first sign of disease.

This information has been provided by extension staff of the College of Tropical Agriculture and Human Resources of the University of Hawai'i at Mānoa.

Comments submitted by:



Mike Kawate
Pesticide Registration Specialist
Voice: 808-956-6008
mike@hpirs.stjohn.hawaii.edu



Cathy Tarutani
Educational Specialist
Voice: 808-956-2004
cathy@hpirs.stjohn.hawaii.edu