Comments in Response to Follow-Up Questions on DCPA Use: Water Monitroing Data, Importance and Impact of DCPA Use, Sweet Potatoes, Beans, Yam Bean, Eggplant, Cucumbers, Turnips

Date: May 17, 2005

To: Jill Bloom

Office of Pesticide Programs

EPA

From: Cathy Tarutani

Department of Plant and Environmental Protection Sciences

3190 Maile Way, St. John 307

University of Hawaii Honolulu, HI 96822

CC: Dr. Michael Kawate

Department of Plant and Environmental Protection Sciences 3190 Maile Way, St. John 307

University of Hawaii Honolulu, HI 96822

Jill,

My error. I actually did talk to someone at the Honolulu Board of Water Supply and two people involved in the testing for the Hawaii State Department of Health. They indicated that neither DCPA nor TPA are among the substances they specifically test for. I have no information about whether USGS tested for TPA or just DCPA.

I will definitely appreciate hearing about developments with the DCPA registration.

Aloha, Cathy

Cathy Tarutani

Phone: (808) 956-2004

Department of Plant and Environmental Protection Sciences

3190 Maile Way, St John 307

University of Hawaii Honolulu, HI 96822

On May 17, Jill Bloom wrote:

Cathy, Thanks so much. This information will be very helpful. Just a note: it is not usually DCPA that is found in groundwater, but TPA, a metabolite. Thanks again. I'll give you an idea of our thinking before we publish.

Mahalo, Jill Jill Bloom, Review Manager
US Environmental Protection Agency
Office of Pesticide Programs
Special Review and Reregistration Division

Phone: (703) 308-8019 Fax: (703) 308-8041

May 16, 2005

To: Jill Bloom

From: Cathy Tarutani

Hi, Jill,

This took a bit longer than I anticipated, but here it is.

We appreciate your patience and assistance with the DCPA label issues.

If you have any more questions or concerns, please don't hesitate to contact us.

Mahalo, Cathy

Response to follow-up questions regarding: *DCPA; Notice of Receipt of Request to Amend to Terminate Uses of Certain Pesticide Registrations, Federal Register Notice* February 16, 2005 (Volume 70, Number 31, OPP-2005-0024)

Water Monitoring Data

There is not much data about DCPA contamination of groundwater in Hawaii. The Honolulu Board of Water Supply (HBWS) and Hawaii Department of Health (HDOH) Safe Drinking Water Branch do not monitor for DCPA contamination. The HBWS manages the municipal water resources and distribution system for the island of Oahu. HDOH monitors all of the State's public water systems and groundwater for contaminants. The U.S. Geological Survey National Water Quality Assessment (NAWQA) Program included DCPA as one of the pesticide chemical compounds for assessment. The NAWQA report, *Water quality on the island of Oahu, Hawaii, 1999-2001:* U.S. Geological Survey Circular 1239, 31 p.

(http://hi.water.usgs.gov/nawqa/pubs.html) did not report detection of DCPA in any of their samples. (As the title of the report indicates, NAWQA assessments were confined to the island of Oahu.)

Growers who expressed the wish to retain DCPA uses are on the islands of Oahu and Molokaà i (sweet potatoes). Molokaà i's water is managed by the Maui County Department of Water Supply. HDOH has not detected any contaminants in any of the wells sampled since their testing began in 1989. (However, HDOH does not specifically test for DCPA.)

Importance and Impact of DCPA Use

According to the Hawaii Farm Bureau Federation (HFBF), "Dacthal is, in fact, a very effective preemergent herbicide for all labeled uses in Hawaii. . . growers who use Dacthal routinely and who would have great difficulty finding a pre-emergent herbicide which could replace Dacthal. . . . And, even though Dacthal is used by growers here, the amount of area treated with the herbicide is very small (less than 1,000 acres a year) thus the risk associated with any undesirable environmental impact is extremely small."

The 1,000 acres mentioned in the HFBF statement includes all DCPA use, not just the uses proposed for termination. (DCPA is an important herbicide for the production of lettuce, cole crops, onions and other crops in Hawaii.)

Sweet Potatoes

The spokesperson for the sweet potato growers remains firm in his "wish that the Agency reconsider total termination. I would suggest that DCPA be allowed at transplant preemergence, and if there is any termination occurring consider terminating layby application. It is important that the first generation weed population density be managed with preemergence. Layby is applied after several weeks of sweet potato growth following mechanical cultivation. Managing the initial high density weed growth improves the effectiveness layby and mechanical cultivation work.

"Yes, preemergence herbicide application is important cultural practice to reduce the first generation weed population density. Mechanical cultivation is effective between the row, but doesn't work for weeds in-row. Weeds in the row are hand weeded. . . . In-row is around 2 feet wide. Mechanical also works more effectively with lower weed population density than with high weed population density. DCPA lowers the weed population and makes hand weeding economically feasible, if not forget it.

"Therefore DCPA is not a end-all solution to weed management in sweet potato. It is an important management tool that lowers weed population density that makes other method, mechanical and hand cultivation, work."

"I am afraid that just Devrinol will select for grasses."

Possible alternatives to DCPA

Mechanical weed control is not economically feasible.

1. Sweet potatoes

- a. Current registrations
 - Napropamide (Devrinol). Concern expressed that napropamide alone will not provide sufficient control of broadleaf weeds.
 - Flumioxazin (Valor). There is a new (2004) supplemental label for Valor (59639-99) for sweet potatoes. However, this label restricts its use to the "Beauregard" variety. This is not the variety commonly grown on Molokaà i. Efficacy for the problem weeds under Hawaii conditions is unknown.
 - Clomazone (Command) A number of states have a 24(c) label for use on sweet potatoes, but this product is not licensed for sale in Hawaii.

2. Beans

- a. Current registrations
 - Trifluralin (Treflan and Trust), pendimethalin (Prowl) and EPTC (Eptam) should cover most weeds that DCPA controls. The overall activity of either trifluratin or pendimathalin is better than DCPA.

3. Yam Bean

No alternatives licensed.

4. Eggplant

a. Current registrations

- Bensulide (Prefar) has a 120-day crop rotation restriction which could be a problem for growers who want to rotate to crops that are not on the Prefar label. However, the label does cover a lot of crops (crop groups).
- Trifluralin (Treflan HFP, supplemental label) may be a reasonable alternative. However, no information is available regarding suitability and the label has this precaution, "Eggplant tolerance to Treflan HFP is marginal."
- Devrinol 50DF (napropamide)

5. Cucumbers

There are acceptable alternatives available.

6. Turnips

We are not requesting continued support for DCPA on turnips.

Response compiled and submitted by:

Dr. Michael Kawate Phone: (808) 956-6008

Cathy Tarutani

Phone: (808) 956-2004

Department of Plant and Environmental Protection Sciences

3190 Maile Way, St John 307

University of Hawaii Honolulu, HI 96822